ELSEVIER

Hearing Research 145 (2000) 206–207

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 145

Abel, E.W., see Lord, R.M. (145) 141
Addicks, K., see Watanabe, K.-i. (145) 149
Albers, F.W.J., see Wit, H.P. (145) 82
Altschuler, R.A., see Saito, H. (145) 37
Amani-Taleshi, D., see Chertoff, M.E. (145) 190
Amani-Taleshi, D., see Lerner, D.E. (145) 203

Bertrand, O., see Knief, A. (145) 161
Bloch, W., see Watanabe, K.-i. (145) 149
Bohne, B.A., see Ou, H.C. (145) 111
Bohne, B.A., see Ou, H.C. (145) 123
Bowen, G.P., see Ison, J.R. (145) 169
Bowman, D.M., see Brown, D.K. (145) 17
Braun, M.
Inferior colliculus as candidate for pitch extraction: multiple support from statistics of bilateral spontaneous otoacoustic emissions (145) 130
Brown, D.K., Bowman, D.M. and Kimberley, B.P.
The effects of maturation and stimulus parameters on the optimal f_2/f_1 ratio of the $2f_1-f_2$ distortion product otoacoustic emission in neonates (145) 17

Chen, G.-D., McWilliams, M.L. and Fechter, L.D.
Succinate dehydrogenase (SDH) activity in hair cells: a correlate for permanent threshold elevations (145) 91
Chertoff, M.E., see Lerner, D.E. (145) 203
Chertoff, M.E., Lerner, D., Amani-Taleshi, D. and Nagai, Y.
Characterizing non-linearity in the cochlear microphonic using the instantaneous frequency (145) 190
Collet, L., see Morand, N. (145) 52
Coppens, A.G., Résibois, A. and Poncelet, L.
Immunolocalization of calbindin D28k and calretinin in the dog cochlea during postnatal development (145) 101

Dallos, P., see He, D.Z.Z. (145) 156
Davies, W.E., see Simpson, J.J. (145) 1
Durrant, J.D., see Morand, N. (145) 52

Edge, R., see He, D.Z.Z. (145) 156

Fechter, L.D., see Chen, G.-D. (145) 91
Fontilla, M.F. and Peterson, E.H.
Kinocilia heights on utricular hair cells (145) 8

Grandori, F., see Morand, N. (145) 52

Hara, A., see Tabuchi, K. (145) 59
Harding, G.W., see Ou, H.C. (145) 111
Harding, G.W., see Ou, H.C. (145) 123
He, D.Z.Z., Zheng, J., Edge, R. and Dallos, P.
Isolation of cochlear inner hair cells (145) 156
Hess, A., see Watanabe, K.-i. (145) 149

Ison, J.R. and Bowen, G.P.
Scopolamine reduces sensitivity to auditory gaps in the rat, suggesting a cholinergic contribution to temporal acuity (145) 169
Iwagaki, T., Suzuki, T. and Nakashima, T.
Development and regression of cochlear blood vessels in fetal and newborn mice (145) 75

Khalfa, S., see Morand, N. (145) 52
Kimberley, B.P., see Brown, D.K. (145) 17
Knief, A., Schulte, M., Bertrand, O. and Pantev, C.
The perception of coherent and non-coherent auditory objects: a signature in gamma frequency band (145) 161
Kolston, P.J.
The importance of phase data and model dimensionality to cochlear mechanics (145) 25
Kusakari, J., see Tabuchi, K. (145) 59

Lerner, D., see Chertoff, M.E. (145) 190
Lerner, D.E., Chertoff, M.E. and Amani-Taleshi, D.
Mathematical decomposition of the round window potential (145) 203
Lord, R.M., Mills, R.P. and Abel, E.W.
An anatomically shaped incus prosthesis for reconstruction of the ossicular chain (145) 141

McWilliams, M.L., see Chen, G.-D. (145) 91
Michel, O., see Watanabe, K.-i. (145) 149
Miller, J.M., see Saito, H. (145) 37
Mills, R.P., see Lord, R.M. (145) 141
Morand, N., Khalfa, S., Ravazzani, P., Tognola, G., Grandori, F., Durrant, J.D., Collet, L. and Veuillet, E.
Frequency and temporal analysis of contralateral acoustic stimulation on evoked otoacoustic emissions in humans (145) 52

Nagai, Y., see Chertoff, M.E. (145) 190
Nakashima, T., see Iwagaki, T. (145) 75

Ou, H.C., Bohne, B.A. and Harding, G.W.
Noise damage in the C57BL/CBA mouse cochlea (145) 111
Ou, H.C., Harding, G.W. and Bohne, B.A.
An anatomically based frequency–place map for the mouse cochlea (145) 123

Palmer, A.R., see Rutkowski, R.G. (145) 177
Pantev, C., see Knief, A. (145) 161
Peterson, E.H., see Fontilla, M.F. (145) 8
Pickles, J.O. and van Heumen, W.R.A.
Lateral interactions account for the pattern of the hair cell array in the chick basilar papilla (145) 65
Poncelet, L., see Coppens, A.G. (145) 101

Ravazzani, P., see Morand, N. (145) 52
Résibois, A., see Coppens, A.G. (145) 101
Rutkowski, R.G., Wallace, M.N., Shackleton, T.M. and Palmer, A.R.
Organisation of binaural interactions in the primary and dorsocaudal fields of the guinea pig auditory cortex (145) 177

PII: S0378-5955(00)00107-6

ELSEVIER

Hearing Research 145 (2000) 206–207

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 145

Abel, E.W., see Lord, R.M. (145) 141
Addicks, K., see Watanabe, K.-i. (145) 149
Albers, F.W.J., see Wit, H.P. (145) 82
Altschuler, R.A., see Saito, H. (145) 37
Amani-Taleshi, D., see Chertoff, M.E. (145) 190
Amani-Taleshi, D., see Lerner, D.E. (145) 203

Bertrand, O., see Knief, A. (145) 161
Bloch, W., see Watanabe, K.-i. (145) 149
Bohne, B.A., see Ou, H.C. (145) 111
Bohne, B.A., see Ou, H.C. (145) 123
Bowen, G.P., see Ison, J.R. (145) 169
Bowman, D.M., see Brown, D.K. (145) 17
Braun, M.
Inferior colliculus as candidate for pitch extraction: multiple support from statistics of bilateral spontaneous otoacoustic emissions (145) 130
Brown, D.K., Bowman, D.M. and Kimberley, B.P.
The effects of maturation and stimulus parameters on the optimal f_2/f_1 ratio of the $2f_1-f_2$ distortion product otoacoustic emission in neonates (145) 17

Chen, G.-D., McWilliams, M.L. and Fechter, L.D.
Succinate dehydrogenase (SDH) activity in hair cells: a correlate for permanent threshold elevations (145) 91
Chertoff, M.E., see Lerner, D.E. (145) 203
Chertoff, M.E., Lerner, D., Amani-Taleshi, D. and Nagai, Y.
Characterizing non-linearity in the cochlear microphonic using the instantaneous frequency (145) 190
Collet, L., see Morand, N. (145) 52
Coppens, A.G., Résibois, A. and Poncelet, L.
Immunolocalization of calbindin D28k and calretinin in the dog cochlea during postnatal development (145) 101

Dallos, P., see He, D.Z.Z. (145) 156
Davies, W.E., see Simpson, J.J. (145) 1
Durrant, J.D., see Morand, N. (145) 52

Edge, R., see He, D.Z.Z. (145) 156

Fechter, L.D., see Chen, G.-D. (145) 91
Fontilla, M.F. and Peterson, E.H.
Kinocilia heights on utricular hair cells (145) 8

Grandori, F., see Morand, N. (145) 52

Hara, A., see Tabuchi, K. (145) 59
Harding, G.W., see Ou, H.C. (145) 111
Harding, G.W., see Ou, H.C. (145) 123
He, D.Z.Z., Zheng, J., Edge, R. and Dallos, P.
Isolation of cochlear inner hair cells (145) 156
Hess, A., see Watanabe, K.-i. (145) 149

Ison, J.R. and Bowen, G.P.
Scopolamine reduces sensitivity to auditory gaps in the rat, suggesting a cholinergic contribution to temporal acuity (145) 169
Iwagaki, T., Suzuki, T. and Nakashima, T.
Development and regression of cochlear blood vessels in fetal and newborn mice (145) 75

Khalfa, S., see Morand, N. (145) 52
Kimberley, B.P., see Brown, D.K. (145) 17
Knief, A., Schulte, M., Bertrand, O. and Pantev, C.
The perception of coherent and non-coherent auditory objects: a signature in gamma frequency band (145) 161
Kolston, P.J.
The importance of phase data and model dimensionality to cochlear mechanics (145) 25
Kusakari, J., see Tabuchi, K. (145) 59

Lerner, D., see Chertoff, M.E. (145) 190
Lerner, D.E., Chertoff, M.E. and Amani-Taleshi, D.
Mathematical decomposition of the round window potential (145) 203
Lord, R.M., Mills, R.P. and Abel, E.W.
An anatomically shaped incus prosthesis for reconstruction of the ossicular chain (145) 141

McWilliams, M.L., see Chen, G.-D. (145) 91
Michel, O., see Watanabe, K.-i. (145) 149
Miller, J.M., see Saito, H. (145) 37
Mills, R.P., see Lord, R.M. (145) 141
Morand, N., Khalfa, S., Ravazzani, P., Tognola, G., Grandori, F., Durrant, J.D., Collet, L. and Veuillet, E.
Frequency and temporal analysis of contralateral acoustic stimulation on evoked otoacoustic emissions in humans (145) 52

Nagai, Y., see Chertoff, M.E. (145) 190
Nakashima, T., see Iwagaki, T. (145) 75

Ou, H.C., Bohne, B.A. and Harding, G.W.
Noise damage in the C57BL/CBA mouse cochlea (145) 111
Ou, H.C., Harding, G.W. and Bohne, B.A.
An anatomically based frequency–place map for the mouse cochlea (145) 123

Palmer, A.R., see Rutkowski, R.G. (145) 177
Pantev, C., see Knief, A. (145) 161
Peterson, E.H., see Fontilla, M.F. (145) 8
Pickles, J.O. and van Heumen, W.R.A.
Lateral interactions account for the pattern of the hair cell array in the chick basilar papilla (145) 65
Poncelet, L., see Coppens, A.G. (145) 101

Ravazzani, P., see Morand, N. (145) 52
Résibois, A., see Coppens, A.G. (145) 101
Rutkowski, R.G., Wallace, M.N., Shackleton, T.M. and Palmer, A.R.
Organisation of binaural interactions in the primary and dorsocaudal fields of the guinea pig auditory cortex (145) 177

PII: S0378-5955(00)00107-6

Saito, H., Miller, J.M. and Altschuler, R.A.
Cochleotopic fos immunoreactivity in cochlea and cochlear nuclei evoked by bipolar cochlear electrical stimulation (145) 37
Schulte, M., see Knief, A. (145) 161
Shackleton, T.M., see Rutkowski, R.G. (145) 177
Simpson, J.J. and Davies, W.E.
A review of evidence in support of a role for 5-HT in the perception of tinnitus (145) 1
Stennert, E., see Watanabe, K.-i. (145) 149
Suzuki, T., see Iwagaki, T. (145) 75

Tabuchi, K., Tsuji, S., Hara, A. and Kusakari, J.
Effect of calmodulin antagonists on the compound action potential of the cochlea (145) 59
Tognola, G., see Morand, N. (145) 52
Tsuji, S., see Tabuchi, K. (145) 59

van Heumen, W.R.A., see Pickles, J.O. (145) 65
Veuillet, E., see Morand, N. (145) 52

Wallace, M.N., see Rutkowski, R.G. (145) 177
Warmerdam, T.J., see Wit, H.P. (145) 82
Watanabe, K.-i., Hess, A., Zumegen, C., Stennert, E., Bloch, W., Addicks, K. and Michel, O.
Changes of the compound action potential (CAP) and the expression of inducible nitric oxide synthase (iNOS/NOS II) in the cochlea under the inflammatory condition (145) 149
Wit, H.P., Warmerdam, T.J. and Albers, F.W.J.
Measurement of the mechanical compliance of the endolymphatic compartments in the guinea pig (145) 82

Zheng, J., see He, D.Z.Z. (145) 156
Zumegen, C., see Watanabe, K.-i. (145) 149

ELSEVIER

Hearing Research 145 (2000) 208–211

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 145

Aged auditory system
Gap detection; Temporal resolution; Scopolamine; Cholinergic mechanism; Rat (Ison, J.R. (145) 169)

Auditory brainstem response
Mouse; Noise exposure; Temporary threshold shift; Permanent threshold shift; Quantitative histopathology (Ou, H.C. (145) 111)

Mouse; Noise exposure; Permanent hearing loss; Quantitative histopathology; Frequency–place map (Ou, H.C. (145) 123)

Auditory cortex
Auditory object; Perception; Gamma band activity; Induced; Evoked; Independent components analysis (Knief, A. (145) 161)

Interaural level difference; Interaural intensity difference; Binaural interaction; Binaural topography (Rutkowski, R.G. (145) 177)

Auditory lateralization
Inferior colliculus; Fibrodendritic lamina; Critical bandwidth; Fundamental frequency f_0; Music (Braun, M. (145) 130)

Auditory object
Perception; Gamma band activity; Induced; Evoked; Auditory cortex; Independent components analysis (Knief, A. (145) 161)

Auditory potentials
Serotonin; Migraine; Plasticity; Tinnitus (Simpson, J.J. (145) 1)

Basilar membrane
Cochlea; Hydrops; Hypertension; Menière (Wit, H.P. (145) 82)

Binaural interaction
Auditory cortex; Interaural level difference; Interaural intensity difference; Binaural topography (Rutkowski, R.G. (145) 177)

Binaural topography
Auditory cortex; Interaural level difference; Interaural intensity difference; Binaural interaction (Rutkowski, R.G. (145) 177)

Calbindin D28k
Dog; Cochlea; Postnatal development; Calretinin; Immunohistochemistry (Coppens, A.G. (145) 101)

Calmodulin antagonist
Cochlea; Compound action potential; Ischemia (Tabuchi, K. (145) 59)

Calretinin
Dog; Cochlea; Postnatal development; Calbindin D28k; Immunohistochemistry (Coppens, A.G. (145) 101)

Carbon monoxide ototoxicity
Cochlea; Succinate dehydrogenase activity; Surface preparation; Noise-induced hearing loss; Rat (Chen, G.-D. (145) 91)

Chick
Hair cell; Development; Lateral inhibition; Notch; Delta (Pickles, J.O. (145) 65)

Cholinergic mechanism
Gap detection; Temporal resolution; Aged auditory system; Scopolamine; Rat (Ison, J.R. (145) 169)

Cochlea
Dog; Postnatal development; Calbindin D28k; Calretinin; Immunohistochemistry (Coppens, A.G. (145) 101)

Compound action potential; Ischemia; Calmodulin antagonist (Tabuchi, K. (145) 59)

Hydrops; Hypertension; Menière; Basilar membrane (Wit, H.P. (145) 82)

Succinate dehydrogenase activity; Surface preparation; Noise-induced hearing loss; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (145) 91)

Cochlear amplifier
Cochlear mechanics; Phase response; Three-dimensional model; Energy injection; Impedance reduction (Kolston, P.J. (145) 25)

Cochlear damage
Electrocochleography; Immunohistochemistry; Nitric oxide synthase; Endotoxin (Watanabe, K.-i. (145) 149)

Cochlear mechanics
Cochlear amplifier; Phase response; Three-dimensional model; Energy injection; Impedance reduction (Kolston, P.J. (145) 25)

Cochlear microphonic
Instantaneous frequency; Hearing loss (Chertoff, M.E. (145) 190)

Compound action potential; Summating potential (Lerner, D.E. (145) 203)

Cochlear nucleus
Fos-like immunoreactivity; Tonotopy; Spiral ganglion; Electrical stimulation; Cochlear prosthesis (Saito, H. (145) 37)

Cochlear prosthesis
Fos-like immunoreactivity; Tonotopy; Spiral ganglion; Cochlear nucleus; Electrical stimulation (Saito, H. (145) 37)

PII: S0378-5955(00)00108-8

Cochlear vasculature
Development; Mouse (Iwagaki, T. (145) 75)

Compound action potential
Cochlear microphonic; Summating potential (Lerner, D.E. (145) 203)

Cochlea; Ischemia; Calmodulin antagonist (Tabuchi, K. (145) 59)

Critical bandwidth
Inferior colliculus; Fibrodendritic lamina; Fundamental frequency f_0; Auditory lateralization; Music (Braun, M. (145) 130)

Delta
Hair cell; Development; Lateral inhibition; Notch; Chick (Pickles, J.O. (145) 65)

Development
Distortion product otoacoustic emission; Optimal f_2/f_1 ratio; Human (Brown, D.K. (145) 17)

Hair cell; Lateral inhibition; Notch; Delta; Chick (Pickles, J.O. (145) 65)

Cochlear vasculature; Mouse (Iwagaki, T. (145) 75)

Distortion product otoacoustic emission
Optimal f_2/f_1 ratio; Human; Development (Brown, D.K. (145) 17)

Dog
Cochlea; Postnatal development; Calbindin D28k; Calretinin; Immunohistochemistry (Coppens, A.G. (145) 101)

Electrical stimulation
Fos-like immunoreactivity; Tonotopy; Spiral ganglion; Cochlear nucleus; Cochlear prosthesis (Saito, H. (145) 37)

Electrocochleography
Immunohistochemistry; Nitric oxide synthase; Endotoxin; Cochlear damage (Watanabe, K.-i. (145) 149)

Endotoxin
Electrocochleography; Immunohistochemistry; Nitric oxide synthase; Cochlear damage (Watanabe, K.-i. (145) 149)

Energy injection
Cochlear mechanics; Cochlear amplifier; Phase response; Three-dimensional model; Impedance reduction (Kolston, P.J. (145) 25)

Evoked
Auditory object; Perception; Gamma band activity; Induced; Auditory cortex; Independent components analysis (Knief, A. (145) 161)

Fibrodendritic lamina
Inferior colliculus; Critical bandwidth; Fundamental frequency f_0; Auditory lateralization; Music (Braun, M. (145) 130)

Fos-like immunoreactivity
Tonotopy; Spiral ganglion; Cochlear nucleus; Electrical stimulation; Cochlear prosthesis (Saito, H. (145) 37)

Frequency–place map
Mouse; Noise exposure; Permanent hearing loss; Auditory brainstem response; Quantitative histopathology (Ou, H.C. (145) 123)

Fundamental frequency f_0
Inferior colliculus; Fibrodendritic lamina; Critical bandwidth; Auditory lateralization; Music (Braun, M. (145) 130)

Gamma band activity
Auditory object; Perception; Induced; Evoked; Auditory cortex; Independent components analysis (Knief, A. (145) 161)

Gap detection
Temporal resolution; Aged auditory system; Scopolamine; Cholinergic mechanism; Rat (Ison, J.R. (145) 169)

Gerbil
Inner hair cell; Outer hair cell; Isolation technique; Morphology; Voltage-clamp (He, D.Z.Z. (145) 156)

Hair cell
Development; Lateral inhibition; Notch; Delta; Chick (Pickles, J.O. (145) 65)

Kinocilia; Otolith organ; Utricle; Turtle; Immunochemistry; Mechanics (Fontilla, M.F. (145) 8)

Hearing loss
Cochlear microphonic; Instantaneous frequency (Chertoff, M.E. (145) 190)

Human
Distortion product otoacoustic emission; Optimal f_2/f_1 ratio; Development (Brown, D.K. (145) 17)

Hydrops
Cochlea; Hypertension; Menière; Basilar membrane (Wit, H.P. (145) 82)

Hypertension
Cochlea; Hydrops; Menière; Basilar membrane (Wit, H.P. (145) 82)

Immunochemistry
Hair cell; Kinocilia; Otolith organ; Utricle; Turtle; Mechanics (Fontilla, M.F. (145) 8)

Immunohistochemistry
Dog; Cochlea; Postnatal development; Calbindin D28k; Calretinin (Coppens, A.G. (145) 101)

Electrocochleography; Nitric oxide synthase; Endotoxin; Cochlear damage (Watanabe, K.-i. (145) 149)

Impedance reduction
Cochlear mechanics; Cochlear amplifier; Phase response; Three-dimensional model; Energy injection (Kolston, P.J. (145) 25)

Incus prosthesis
Middle ear; Ossiculoplasty; Ossicular chain; Laser vibrometer (Lord, R.M. (145) 141)

Independent components analysis
Auditory object; Perception; Gamma band activity; Induced; Evoked; Auditory cortex (Knief, A. (145) 161)

Induced
Auditory object; Perception; Gamma band activity; Evoked; Auditory cortex; Independent components analysis (Knief, A. (145) 161)

Inferior colliculus
Fibrodendritic lamina; Critical bandwidth; Fundamental frequency f_0; Auditory lateralization; Music (Braun, M. (145) 130)

Inner hair cell
Outer hair cell; Isolation technique; Morphology; Voltage-clamp; Gerbil (He, D.Z.Z. (145) 156)

Instantaneous frequency
Cochlear microphonic; Hearing loss (Chertoff, M.E. (145) 190)

Interaural intensity difference
Auditory cortex; Interaural level difference; Binaural interaction; Binaural topography (Rutkowski, R.G. (145) 177)

Interaural level difference
Auditory cortex; Interaural intensity difference; Binaural interaction; Binaural topography (Rutkowski, R.G. (145) 177)

Ischemia
Cochlea; Compound action potential; Calmodulin antagonist (Tabuchi, K. (145) 59)

Isolation technique
Inner hair cell; Outer hair cell; Morphology; Voltage-clamp; Gerbil (He, D.Z.Z. (145) 156)

Kinocilia
Hair cell; Otolith organ; Utricle; Turtle; Immunochemistry; Mechanics (Fontilla, M.F. (145) 8)

Laser vibrometer
Middle ear; Ossiculoplasty; Ossicular chain; Incus prosthesis (Lord, R.M. (145) 141)

Lateral inhibition
Hair cell; Development; Notch; Delta; Chick (Pickles, J.O. (145) 65)

Mechanics
Hair cell; Kinocilia; Otolith organ; Utricle; Turtle; Immunochemistry (Fontilla, M.F. (145) 8)

Menière
Cochlea; Hydrops; Hypertension; Basilar membrane (Wit, H.P. (145) 82)

Middle ear
Ossiculoplasty; Ossicular chain; Incus prosthesis; Laser vibrometer (Lord, R.M. (145) 141)

Migraine
Serotonin; Plasticity; Auditory potentials; Tinnitus (Simpson, J.J. (145) 1)

Morphology
Inner hair cell; Outer hair cell; Isolation technique; Voltage-clamp; Gerbil (He, D.Z.Z. (145) 156)

Mouse
Noise exposure; Temporary threshold shift; Permanent threshold shift; Auditory brainstem response; Quantitative histopathology (Ou, H.C. (145) 111)

Noise exposure; Permanent hearing loss; Auditory brainstem response; Quantitative histopathology; Frequency–place map (Ou, H.C. (145) 123)

Cochlear vasculature; Development (Iwagaki, T. (145) 75)

Music
Inferior colliculus; Fibrodendritic lamina; Critical bandwidth; Fundamental frequency f_0; Auditory lateralization (Braun, M. (145) 130)

Nitric oxide synthase
Electrocochleography; Immunohistochemistry; Endotoxin; Cochlear damage (Watanabe, K.-i. (145) 149)

Noise exposure
Mouse; Temporary threshold shift; Permanent threshold shift; Auditory brainstem response; Quantitative histopathology (Ou, H.C. (145) 111)

Mouse; Permanent hearing loss; Auditory brainstem response; Quantitative histopathology; Frequency–place map (Ou, H.C. (145) 123)

Noise-induced hearing loss
Cochlea; Succinate dehydrogenase activity; Surface preparation; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (145) 91)

Notch
Hair cell; Development; Lateral inhibition; Delta; Chick (Pickles, J.O. (145) 65)

Optimal f_2/f_1 ratio
Distortion product otoacoustic emission; Human; Development (Brown, D.K. (145) 17)

Ossicular chain
Middle ear; Ossiculoplasty; Incus prosthesis; Laser vibrometer (Lord, R.M. (145) 141)

Ossiculoplasty
Middle ear; Ossicular chain; Incus prosthesis; Laser vibrometer (Lord, R.M. (145) 141)

Otoacoustic emission
Wavelet (Morand, N. (145) 52)

Otolith organ
Hair cell; Kinocilia; Utricle; Turtle; Immunochemistry; Mechanics (Fontilla, M.F. (145) 8)

Outer hair cell
Inner hair cell; Isolation technique; Morphology; Voltage-clamp; Gerbil (He, D.Z.Z. (145) 156)

Perception
Auditory object; Gamma band activity; Induced; Evoked; Auditory cortex; Independent components analysis (Knief, A. (145) 161)

Permanent hearing loss
Mouse; Noise exposure; Auditory brainstem response; Quantitative histopathology; Frequency–place map (Ou, H.C. (145) 123)

Permanent threshold shift
Mouse; Noise exposure; Temporary threshold shift; Auditory brainstem response; Quantitative histopathology (Ou, H.C. (145) 111)

Phase response
Cochlear mechanics; Cochlear amplifier; Three-dimensional model; Energy injection; Impedance reduction (Kolston, P.J. (145) 25)

Plasticity
Serotonin; Migraine; Auditory potentials; Tinnitus (Simpson, J.J. (145) 1)

Postnatal development
Dog; Cochlea; Calbindin D28k; Calretinin; Immunohistochemistry (Coppens, A.G. (145) 101)

Quantitative histopathology
Mouse; Noise exposure; Temporary threshold shift; Permanent threshold shift; Auditory brainstem response (Ou, H.C. (145) 111)

Mouse; Noise exposure; Permanent hearing loss; Auditory brainstem response; Frequency–place map (Ou, H.C. (145) 123)

Rat
Gap detection; Temporal resolution; Aged auditory system; Scopolamine; Cholinergic mechanism (Ison, J.R. (145) 169)

Cochlea; Succinate dehydrogenase activity; Surface preparation; Noise-induced hearing loss; Carbon monoxide ototoxicity (Chen, G.-D. (145) 91)

Scopolamine
Gap detection; Temporal resolution; Aged auditory system; Cholinergic mechanism; Rat (Ison, J.R. (145) 169)

Serotonin
Migraine; Plasticity; Auditory potentials; Tinnitus (Simpson, J.J. (145) 1)

Spiral ganglion
Fos-like immunoreactivity; Tonotopy; Cochlear nucleus; Electrical stimulation; Cochlear prosthesis (Saito, H. (145) 37)

Succinate dehydrogenase activity
Cochlea; Surface preparation; Noise-induced hearing loss; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (145) 91)

Summating potential
Cochlear microphonic; Compound action potential (Lerner, D.E. (145) 203)

Surface preparation
Cochlea; Succinate dehydrogenase activity; Noise-induced hearing loss; Carbon monoxide ototoxicity; Rat (Chen, G.-D. (145) 91)

Temporal resolution
Gap detection; Aged auditory system; Scopolamine; Cholinergic mechanism; Rat (Ison, J.R. (145) 169)

Temporary threshold shift
Mouse; Noise exposure; Permanent threshold shift; Auditory brainstem response; Quantitative histopathology (Ou, H.C. (145) 111)

Three-dimensional model
Cochlear mechanics; Cochlear amplifier; Phase response; Energy injection; Impedance reduction (Kolston, P.J. (145) 25)

Tinnitus
Serotonin; Migraine; Plasticity; Auditory potentials (Simpson, J.J. (145) 1)

Tonotopy
Fos-like immunoreactivity; Spiral ganglion; Cochlear nucleus; Electrical stimulation; Cochlear prosthesis (Saito, H. (145) 37)

Turtle
Hair cell; Kinocilia; Otolith organ; Utricle; Immunochemistry; Mechanics (Fontilla, M.F. (145) 8)

Utricle
Hair cell; Kinocilia; Otolith organ; Turtle; Immunochemistry; Mechanics (Fontilla, M.F. (145) 8)

Voltage-clamp
Inner hair cell; Outer hair cell; Isolation technique; Morphology; Gerbil (He, D.Z.Z. (145) 156)

Wavelet
Otoacoustic emission (Morand, N. (145) 52)